

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Cyberbond U 303 / U 325

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

For applications within the electronic / optical and automotive industries, where one substrate is required to be translucent for the UV light to pass through (395 nm).

1.3 Details of the supplier of the safety data sheet

Address

Cyberbond Europe GmbH
Werner-von-Siemens-Str. 2
31515 Wunstorf

Telephone no. +49-(0)5031-9566-0

Fax no. +49-(0)5031-9566-26

Information provided by / telephone

Technical Department: Tel.: +49-(0)5031-9566-0

Advice on Safety Data Sheet

msds@cyberbond.de

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Directive 67/548/EEC or 1999/45/EC

Xn; R20


Xi; R36/37/38

N; R51/53

2.2 Label elements

Labelling according to Directive 1999/45/EC

Hazard symbols



Harmful



Dangerous for the environment

Hazardous component(s) to be indicated on label, contains:

N,N-dimethylacrylamide

R phrases

20

36/37/38

51/53

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S phrases

24/25

36/37/39

61

Avoid contact with skin and eyes.

Wear suitable protective clothing, gloves and eye/face protection.

Avoid release to the environment. Refer to special instructions/ Safety data sheets.

2.3 Other hazards

No data available.

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture (preparation)

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification 67/548/EEC	Concentration	%-b.w.
1	N,N-dimethylacrylamide			
	2680-03-7 220-237-5 - -	T; R23 Xn; R21/22 Xi; R36/37/38	> 10.00 - < 25.00	%-b.w.
2	exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate			
	5888-33-5 227-561-6 - -	Xi; R36/37/38 N; R51/53	> 10.00 - < 30.00	%-b.w.
3	2-hydroxy-2-methylpropiophenone			
	7473-98-5 231-272-0 - -	Xn; R22 N; R50/53	> 1.00 - < 5.00	%-b.w.
4	bis(trimethoxysilylpropyl)amine			
	82985-35-1 280-084-5 - -	Xi; R41 N; R51/53	< 0.50	%-b.w.

Full Text for all R-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of accident or if you feel unwell, seek medical advice immediately. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an ophthalmologist.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Summon a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Combustion products of this material have to be classed invariably as respiratory poison.

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Provide eye wash fountain in work area. Do not inhale vapours.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

Do not store together with foodstuffs. Do not store together with animal feedstocks.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	nitrile		
Material thickness	>	0.3	mm
Breakthrough time	>	480	min.
Appropriate Material	rubber		
Material thickness	>	0.5	mm
Breakthrough time	>	240	min.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour			
liquid to pasty			
yellowish; transparent; clear to opaque			
Odour			
No data available			
Odour threshold			
No data available			
pH value			
No data available			
Boiling point / boiling range			
Value	appr.	250	°C
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Value		70	°C

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
No data available	
Solubility in water	
No data available	
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
Remarks	60mPas - 15000tx

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Irritates the eyes and the skin. Irritates respiratory tract.
Other information
Exercise customary precautions when handling chemicals.



Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Fish toxicity
No data available
Daphnia toxicity
No data available
Algae toxicity
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Ecological data are not available.
Do not allow to enter soil, waterways or waste water canal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	9
Classification code	M6
Packing group	III
Hazard identification no.	90
UN number	UN3082
Technical name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Danger releasing substance	exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate 2-hydroxy-2-methylpropiofenone
Tunnel restriction code	E
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.2 Transport IMDG

Class	9
Packing group	III
UN number	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Danger releasing substance	exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate 2-hydroxy-2-methylpropiofenone
EmS	F-A+S-F
Label	9
Marine pollutant mark	Symbol "fish and tree"

Trade name: Cyberbond U 303 / U 325

Product no.: U_303_325

Current version : 1.1.1, issued: 31.01.2013

Replaced version: 1.1.0, issued: 19.04.2012

Region: GB

14.3 Transport ICAO-TI / IATA

Class	9
Packing group	III
UN number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Danger releasing substance	exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate 2-hydroxy-2-methylpropiophenone
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, pls. see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances

Remarks Annex I, part 2, category 9 b

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

EC Directive 67/548/EC resp. 1999/45/EC as amended in each case.

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EC

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the R-, H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R23 Toxic by inhalation.

R41 Risk of serious damage to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183 , D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.